




1. SCOPE

This specification is applied to the ceramics resonator used for the clock Oscillation of Microprocessor.

2. MODEL NAME

| Part Name | Customer's Part number | Drawing No. |
|------------|------------------------|-------------|
| ZTA18.43MX | | |
| ZTT18.43MX | | |

3. **DIMENSIONS**




MARK 1: ZTA18.43MX MARK 2: ZTT18.43MX





4. TEST CIRCUIT

Parts shall be measured under a condition (Temp.:3 \sim 35 $^{\circ}$ C.Hum.: 45 \sim 85 $^{\circ}$) unless any Necessity to measure under a standard condition (Temp.:20±2°C.Humi.: 65±5%) is occurred.



X1: ZTA18.43MX

C1=C2=30PF IC: 1/674HCU04

VDD=+5V

5. ELECTRICAL CHARACTERISTICS

| | Item | Requirements | |
|-----|--|----------------------------|--|
| 5-1 | Frequency Accuracy | 18.43M±0.5% | |
| 5-2 | Resonant Impedance 30 Ω max | | |
| 5-3 | Operating Temperature Range Storage Temperature Range | -20 to +80 -30 to +85 | |
| 5-4 | Stability Temperature | ±0.3% max. (−20−+80°C) | |
| 5-5 | Withstanding Voltage | DC 100V. (less than 5 sec) | |
| 5-6 | Insulation Resistance | 100 M Ω min (DC 10V) | |
| 5-7 | Aging for 10 Years | ±0.5±% max | |





6.PHYSICAL AND ENVIRONMENTAL CHARCTERISTICS

| | Test Item | Condition of Test | Requirements |
|-----|----------------|---|---------------------------------------|
| 6-1 | Lead strength | Force of 1 Kg is applied for 10 second to each lead in axial direction. | No mechanical damage and the measured |
| | Lead Bending | Firmed the terminal up to 2mm. Resonator lead shall be subjected to withstand against 90° bending | values shall meet Item5. |
| | | its stem. This operation shall be done toward both direction. | |
| | Solder ability | The terminals of the Resonator shall be immersion | The solder shall for coat |
| 6-2 | | in a soldering bath $(230\pm5^{\circ}C)$ for 3 ± 0.5 sec. (refer to | at least 95% of the |
| | | Mil-STD-202E-208C) | terminal. |
| | Vibration | Resonator shall be measured after being | |
| 6-3 | | Applied vibration as below. | |
| | | Vibration Freq: 10-55Hz | |
| | | Amplitude: 1.5mm | |
| | | Directions: 3 axial directions | |
| | | Time: 2 hour/each direction | The measured values |
| | Random Drop | Resonator shall be measured after 3 times | Shall meet table l |
| 6-4 | | Random dropping from the height of 1m. | |
| | | Concrete floor | |
| | Resistance to | Dipped in (350±10°C) measured solder to a point | |
| 6-5 | Soldering | 1.5mm from Resonator body for 3±0.5 sec or dipped | |
| | Heat | in (260±5°C) melted solder for 10±1 sec. Resonator | |
| | | shall be measured after being placed in natural | |
| | | condition for 1 hour. | |





6. PHYSICAL AND ENVIRONMENTAL CHARACTERISTICS

| | Test Item | Condition of Test | Requirements |
|-----|--------------------|---|---------------------|
| 6-6 | Humidity | After being placed in a chamber (Humi: 90-95 % RH Temp:40±2 °C) for 96 hours | |
| | | Resonator shall be measured after placed in natural condition for 1 hour. | |
| 6-7 | Life Test | After being placed in a chamber 85±2°C for | |
| 0-7 | (High temperature) | 96 hours, Resonator shall be measured after being placed in natural condition for 1 hour. | ,O' |
| | Life Test (Low | Stored in a chamber (Temp:-20±2℃) for | The measured values |
| 6-8 | temperature) | 1000 hours, Resonator shall be measured | Shall meet table l |
| | | after being placed in natural condition for 1 | Shan meet table i |
| | | hour. | |
| | Thermal shock | After temperature cycling of -20°C (30min) | |
| 6-9 | | to +80°C (30min) was performed 5 times the | |
| | | Resonator shall be measured after being | |
| | | placed in natural condition for 1 hour. | |

Table 1

| Item | Limit Value | |
|--------------------|-------------|--|
| Frequency shift | F/FO≤±0.3% | |
| Resonant Impedance | Zr≪5Ω | |

Note: The limits in the above table are referenced to the initial Measurements.





- 7. 7.1
- $\begin{array}{c} NOTICE\\ Ceramic\ R_{esonator\ should\ be\ stored\ in\ storeroom.\ And\ the\ surrounding\ atmosphere\\ Is\ acid\ less,\ alkali-free\ and\ no\ other\ harmful\ impurity. \end{array}$
- The package for ceramic damage. 7.2 7.3
- This specification limits the quality of the component as a single unit. Please make sure that the component is evaluated and confirmed the drawing When it is mounted to your product.