



ZTA24.0MX/ZTT24.0MX CERAMIC RESONATOR


1. **SCOPE**

This specification is applied to the ceramics resonator used for the clock Oscillation of Microprocessor.

2. MODEL NAME

Part Name	Customer' s Part number	Drawing No.
ZTA24.0MX		
ZTT24.0MX		

3. **DIMENSIONS**



MARK 1: ZTA24.0MX


MARK 2: ZTT24.0MX



ZTA24.0MX/ZTT24.0MX CERAMIC RESONATOR

4. TEST CIRCUIT

Parts shall be measured under a condition (Temp.: $3\sim35$ °C.Hum.: $45\sim85$ %) unless any Necessity to measure under a standard condition (Temp.: 20 ± 2 °C.Humi.: 65 ± 5 %) is occurred.



5. ELECTRICAL CHARACTERISTICS

	Item	Requirements	
5-1	Frequency Accuracy	24.0M±0.5%	
5-2	Resonant Impedance	35 Ω max	
5-3	Operating Temperature Range Storage Temperature Range	-20 to +80 -30 to +85	
5-4	Stability Temperature	±0.3% max. (−20−+80°C)	
5-5	Withstanding Voltage	DC 100V. (less than 5 sec)	
5-6	Insulation Resistance	100 M Ω min (DC 10V)	
5-7	Aging for 10 Years	±0.5±% max	





6.PHYSICAL AND ENVIRONMENTAL CHARCTERISTICS

	Test Item	Condition of Test	Requirements
	Lead strength	Force of 1 Kg is applied for 10 second to each lead in	No mechanical damage
6-1		axial direction.	and the measured
	Lead Bending	Firmed the terminal up to 2mm. Resonator lead	values shall meet Item
		shall be subjected to withstand against 90° bending	5.
		its stem. This operation shall be done toward both	
		directions.	
	Solder ability	The terminals of the Resonator shall be immersion	The solder shall for coat
6-2		in a soldering bath (230±5°C) for 3±0.5sec. (refer to	at least 95% of the
		Mil-STD-202E-208C)	terminal.
	Vibration	Resonator shall be measured after being	
6-3		Applied vibration as below.	
		Vibration Freq: 10-55Hz	
		Amplitude: 1.5mm	
		Directions: 3 axial directions	
		Time: 2 hour/each direction	The measured values
	Random Drop	Resonator shall be measured after 3 times	Shall meet table l
6-4		Random dropping from the height of 1m.	
		Concrete floor	
	Resistance to	Dipped in (350±10°C) measured solder to a point	
6-5	Soldering	1.5mm from Resonator body for 3±0.5 sec or dipped	
	Heat	in (260±5°C) melted solder for 10±1 sec. Resonator	
		shall be measured after being placed in natural	





ZTA24.0MX/ZTT24.0MX CERAMIC RESONATOR

	Test Item	Condition of Test	Requirements
	Humidity	After being placed in a chamber (Humi:	
6-6		90-95 % RH Temp:40±2 °C) for 96 hours	
		Resonator shall be measured after placed in	
		natural condition for 1 hour.	
	Life Test	After being placed in a chamber 85±2°C for	
6-7	(High	96 hours, Resonator shall be measured after	
	temperature)	being placed in natural condition for 1 hour.	The measured values
	Life Test (Low	Stored in a chamber(Temp:-20±2°C) for 1000	Shall meet table l
6-8	temperature)	hours, Resonator shall be measured after	
		being placed in natural condition for 1 hour.	
	Thermal shock	After temperature cycling of -20°C (30min)	
6-9		to +80°C (30min) was performed 5 times the	
		Resonator shall be measured after being	
		placed in natural condition for 1 hour.	

6. PHYSICAL AND ENVIRONMENTAL CHARACTERISTICS

Table 1

Item	Limit Value	
Frequency shift	F/FO≤±0.3%	
Resonant Impedance	$Zr \leq 5 \Omega$	

Note: The limits in the above table are referenced to the initial Measurements.





- 7. NOTICE
- 7.1 Ceramic Resonator should be stored in storeroom. And the surrounding atmosphere is acid less, alkali-free and no other harmful impurity.
- 7.2 The package for ceramic damage.
- 7.3 This specification limits the quality of the component as a single unit. Please make sure that the component is evaluated and confirmed the drawing When it is mounted to your product.

WEJ ELECTRONIC CO. Http://www.wej.cn E-mail:wej@yongerjia.com